ULTimateCO2: the underground rock laboratory experiment of Mont Terri

Pascal Audigane

BRGM – CO2GEONET

ULTimate CO2

ultimateco2.eu

Well integrity assessment under temperature and pressure stresses by a 1:1 scale wellbore experiment

Submitted in Water Resources Researches

JC. Manceau, J. Trémosa, P. Audigane, F. Claret, L.J. Wasch, F. Gherardi, O. Ukelis, A. Dimier, C. Nussbaum, Y. Lettry, T. Fierz

JC.MANCEAU@BRGM.FR

OBAYASHI swisstopo SOLEXPERTS Swiss Precision Geomonitoring TNO innovation for life Consiglio Nazionale delle Ricerche EIFER EUROPEAN INSTITUTE FOR ENERGY RESEARCH

Motivation and objective

- **Laboratory (core scale) studies for well integrity assessment:**
  - hydraulic properties of well elements
  - cement carbonation rates analysis
  - casing corrosion
    - Interface of well elements (casing – cement – rock)
- **Field scale studies for well integrity assessment:**
  - vertical interference tests for well system equivalent permeability
  - study on CO_2 producer samples

- Objective of this study:
  - evaluate the behavior of the entire well system at an **1:1 scale** over time, time due to changes in well conditions: **pressure**, **temperature** and **fluids** in contact with the well (CO_2 or not)

Location of the experiment

- **Underground Rock Laboratory** of Mont Terri, Switzerland



[Mont Terri Project, 2014]

Concept



Concept



- Construct a well section

Concept



- Construct a well section
- Design of intervals for, under different conditions:
  - between the intervals through the well
  - Measuring of the flow inside and outside the casing
  - ⇒ *Sealing changes*
  - Sampling fluid regularly
  - ⇒ *Fluid composition changes*
- Take samples of the different elements (overcoring)
  - ⇒ *Mineralogical changes*

Method for assessing well integrity



- Create circulation top → bottom:
  - **Pressure difference = equivalent permeability**
  - **Fluid sampling**

- Continuous characterization of the well system over time:
  - **Period 1:** Initial T (16°C), pore water composition
  - **Period 2: I**ncrease of T (50°C), initial pore water conditions
  - **Period 3: D**ecrease of T (30°C), initial pore water conditions
  - **Period 4:** Same T(30°C), pore water + dissolved CO_2

A complex system





System



Assessment of equivalent permeability

- 2D radial flow modeling (TOUGH2)







- Main output of interest: **effective** well permeability
- Other influential parameters to account for:
  - **Caprock permeability** and **pressure boundary conditions**: derived from pressure relaxation tests
  - **Intervals compressibility**: computed at different times from independent tests

Validation of the hydraulic model

- Data/model matching in terms of Ptop and injected volume (mass balance).



Effects of temperature increase

- A **large decrease of K_{eff}** is observed.
- The bottom interval is disconnected from the caprock/annulus contrary to the top interval: the **K_{eff} decrease** seems to occur **at the bottom (larger T increase)**
- **Rock/material expansion** or **geochemical precipitations or natural borehole convergence** could be contemplated



Effect of P_{bottom} increase

- K_{eff} dependant on P_{bottom}: could be a sign of flow



Flow through annuli/interfaces: insights from water chemistry

- Solutions from intervals sampled over time
- Geochemical model using PhreeqC v3 which simulates the **water/cement/clay interactions** and the **transport**
- Solution composition in top interval could be explained by a **channelized flow** without passing through the cement porosity



Results: effects of CO_2

- Lower effect of pressure increase: sign of **carbonation** at annuli/interfaces ?



Conclusions

- **Ability** of the chosen design to estimate the evolution of the well integrity over time
- Main observations:
  - **K_{eff} decrease with temperature increase**
  - **K_{eff} dependent on the imposed pressure**
  - **Dissolved CO_2 limits the pressure effects**
- The contact between the well and CO_2 is planned to last until spring 2015
- **Final overcoring**: link these preliminary observations with mineralogical observations

Thank you for your attention

ULTimate CO_2

ultimateco2.eu

GeoNet